
DATA SHEET

MOUNTING BRACKET

FOR UFO LED HIGH BAY | 100W / 150W / 200W



DESCRIPTION

The SHB-bracket is a mounting bracket designed for the HBL03 C-Series UFO LED High Bay light. Select the appropriate wattage variant to match the compatible UFO LED high bay model.

AVAILABLE MODELS	
Variant	REF No
100W	200059
150W	200060
200W	200061

100W Variant | **150W** Variant | **200W** Variant | **UFO** Compatible

DATA SHEET

VARNALUX

MOUNTING BRACKET

FOR UFO LED HIGH BAY | 100W / 150W / 200W

TECHNICAL SPECIFICATION	
Available Variants	100W / 150W / 200W
Installation	Mounting accessory for compatible UFO high bay lights

DATA SHEET

VARNALUX

MOUNTING BRACKET

FOR UFO LED HIGH BAY | 100W / 150W / 200W

USER MANUAL | HOW TO USE

STEP 1 **Select the variant**

Make sure the variant (wattage) matches the compatible luminaire before installing.

STEP 2 **Turn off the power**

Switch off the mains supply before starting any work on the luminaire. Installation must be done by a professional electrician only (high voltage).

STEP 3 **Check for damage**

Use the accessory out of its package and check it for damage caused by transport. If any damage is visible, do not install or use it.

STEP 4 **Fit the accessory**

Detailed fitting drawings were not supplied by the manufacturer for this accessory. Fit it to the compatible luminaire following the instructions supplied in the packaging and the luminaire's own datasheet.

SAFETY NOTICE:

- Installation must be done by a professional electrician only; non-professionals must not install, disassemble or connect wires (high voltage).
- If the power cable or the housing is damaged, the product must not be used.
- Use the light out of its package and check it for transport damage before installation.
- Never cover the luminaire and keep it away from open flames and external heat sources.
- Avoid looking directly into the LED beam, especially for extended periods. Do not shine the light in anyone's eyes.
- Maintenance by trained professionals only. Unauthorised disassembly may void the after-sales service.
- After its service life the product needs an inspection or special treatment for disposal.